CHEMICAL-TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Intenze Products
215 Rt. 17 South
Rochelle Park
07662 New Jersey
USA

CTL®-No	63145+64231+334326/120
[Order date]	—
[Delivery date]	—
[Date]	28.09.2010

Certificate

[Article]	1 sample of a tattoo colour
[Article-No]	ST1120MBGLDC
[Colour]	Mario Barth Gold Label Dark Chocolate
[Test]	Aromatic amines and carcinogens acc. to EU Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a
Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to EU Resolution ResAP(2008)1
Detection limit: 1 ppm; Legal Limit: ≤ 30 ppm

§ 64 LFGB 82.02-2,3,4,9
GC/MS Analysis
HPLC Analysis

Amount	Amine	EC-No	CAS-No	Amount	Amine	EC-No	CAS-No
—	Biphenyl-4-ylamine	202-177-1	92-67-1	—	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
—	Benzidine	202-199-1	92-87-5	—	3,3'-Dimethylbenzidine	204-358-0	119-93-7
—	4-Chloro-o-toluidine	202-411-6	95-69-2	—	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
—	2-Naphthylamine	202-080-4	91-59-8	—	6-Methoxy-m-toluidine	204-419-1	120-71-8
—	o-Aminoazotoluene	202-591-2	97-56-3	—	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
—	5-Nitro-o-toluidine	202-765-8	99-55-8	—	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
—	4-Chloroaniline	203-401-0	106-47-8	—	o-Anisidine	201-963-1	90-04-0
—	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	—	4-Aminoazobenzene	200-453-6	60-09-3
—	4,4'-Methylenedianiline	202-974-4	101-77-9	—	6-Amino-2-ethoxynaphthaline	—	293733-21-8
—	3,3'-Dichlorobenzidine	202-109-0	91-94-1	—	4-Amino-3-fluorophenol	418-230-9	399-95-1

Part 1b
Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to EU Resolution ResAP(2008)1
Detection limit: 1 ppm

§ 64 LFGB 82.02-2,3,4,9
GC/MS Analysis
HPLC Analysis

Amount	Amine	EC-No	CAS-No	Amount	Amine	EC-No	CAS-No
—	4,4'-Oxydianiline	202-977-0	101-80-4	—	Para-phenylenediamine	2003-404-7	106-50-3
—	4,4'-Thiodianiline	205-370-9	139-65-1	—	2,4 Xylidine	—	95-68-1
—	o-Toluidine	202-429-0	95-53-4	—	2,6 Xylidine	—	87-62-7
—	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 28TH SEPTEMBER 2010

Dr. rer. nat. G. Prior

(—) = below detection limit

[de] The detailed results are only valid for the tested sample. Without our written consent no single part of the report is allowed to be forwarded to third parties.

Bank	Sparkasse Gütersloh	Address	Krackser Straße 12	[tel]	+49 521 400 82 89 0
Account No	400 93 45		33659 Bielefeld, Germany	[fax]	+49 521 400 82 89 29
Bank Code	478 500 65	Managing Director	Dr. rer. nat. Gerald Prior	[mail]	info@ctl-bielefeld.de
SWIFT/BIC	WELADED 1 GTL	Based in	Bielefeld	[internet]	ctl-bielefeld.de
IBAN	DE 67 47850065 000 4005345	Register of Companies	AG Bielefeld, HRB 35-412		ctl-tattoo.net
		VAT ID No	DE 176 26 5000		ctl-pmu.net

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Intenze Products
215 Rt. 17 South
Rochelle Park
07662 New Jersey
USA

CTL®-No	63145+64231+334326/120
[Order date]	—
[Delivery date]	—
[Date]	28.09.2010

Certificate

[Article]	1 sample of a tattoo colour
[Article-No]	ST1120MBGLDC
[Colour]	Mario Barth Gold Label Dark Chocolate
[Test]	acc. to EU Resolution ResAP(2008)1: Part 2

Part 2
Investigation of Dyestuffs according to EU Resolution ResAP(2008)1
Detection limit: 5 mg/L

DIN 54231 in the up-to-date legislation
GC/MS Analysis
HPLC Analysis
TLC Analysis

Amount	Colourant	CI-No	CAS-No	Amount	Colourant	CI-No	CAS-No
---	Acid Green 16	44025	12768-78-4	---	Disperse Orange 37		12223-33-5
---	Acid Red 26	16150	3761-53-3	---	Disperse Red 1	11110	2872-52-8
---	Acid Violet 17	42650	4129-84-4	---	Disperse Red 17	11210	3179-89-3
---	Acid Violet 49	42640	1694-09-3	---	Disperse Yellow 3	11855	2832-40-8
---	Acid Yellow 36	13065	587-98-4	---	Disperse Yellow 9	10375	6373-73-5
---	Basic Blue 7	42595	2390-60-5	---	Pigment Orange 5	12075	3468-63-1
---	Basic Green 1	42040	633-03-4	---	Pigment Red 53	15585	2092-56-0
---	Basic Red 1	45160	989-38-8	---	Pigment Violet 3	42535:2	1325-82-2
---	Basic Red 9	42500	569-61-9	---	Pigment Violet 39	42555:2	64070-98-0
---	Basic Violet 1	42535	8004-87-3	---	Solvent Blue 35	61554	17354-14-2
---	Basic Violet 10	45170	81-88-9	---	Solvent Orange 7	12140	3118-97-6
---	Basic Violet 3	42555	548-62-9	---	Solvent Red 24	26105	85-83-6
---	Disperse Blue 1	64500	2475-45-8	---	Solvent Red 49	45170:1	509-34-2
---	Disperse Blue 106		12223-01-7	---	Solvent Violet 9	42555:1	467-63-0
---	Disperse Blue 124		61951-51-7	---	Solvent Yellow 1	11000	60-09-3
---	Disperse Blue 3	61505	2475-46-9	---	Solvent Yellow 2	11020	60-11-7
---	Disperse Blue 35		12222-75-2	---	Solvent Yellow 3	11160	97-56-3
---	Disperse Orange 3	11005	730-40-5				

BIELEFELD, 28TH SEPTEMBER 2010

Dr. rer. nat. G. Prior

(---) = below detection limit

[*] The detailed results are only valid for the tested sample. Without our written consent no single part of the report is allowed to be transmitted to third parties.

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Intenze Products
215 Rt. 17 South
Rochelle Park
07662 New Jersey
USA

CTL®-No	63145+64231+334326/120
[Order date]	—
[Delivery date]	—
[Date]	28.09.2010

Certificate

[Article]	1 sample of a tattoo colour
[Article-No]	ST1120MBGLDC
[Colour]	Mario Barth Gold Label Dark Chocolate
[Test]	acc. to EU Resolution ResAP(2008)1: Part 3

Part 3 Investigation of Heavy Metals according to EU Resolution ResAP(2008)1 Detection limit: 0.01 ppm			**DIN 38406-E29** **Analysis acc. to EU ResAP(89)1** extraction using acidic perspiration		
Amount (ppm)	Elements or compound	Limit (ppm)	Amount (ppm)	Elements or compound	Limit (ppm)
---	Arsenic (As)	2	---	Nickel (Ni)	As low as technically achievable
---	Barium (Ba)	50	---	Lead (Pb)	2
---	Cadmium (Cd)	0.2	---	Selenium (Se)	2
---	Cobalt (Co)	25	---	Antimony (Sb)	2
---	Chromium (Cr), VI	0.2	---	Tin (Sn)	50
---	Copper (Cu), soluble	25	---	Zinc (Zn)	50
---	Mercury (Hg)	0.2			

BIELEFELD, 28TH SEPTEMBER 2010

Dr. rer. nat. G. Prior

[--] = below detection limit

[**] The detected results are only valid for the tested sample. Without our written consent no single part of the report is allowed to be forwarded to third parties.

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Intenze Products
215 Rt. 17 South
Rochelle Park
07662 New Jersey
USA

CTL®-No	63145+64231+334326/120
[Order date]	---
[Delivery date]	---
[Date]	28.09.2010

Certificate

[Article]	1 sample of a tattoo colour
[Article-No]	ST1120MBGLDC
[Colour]	Mario Barth Gold Label Dark Chocolate
[Test]	PAH and BAP acc. to EU Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzene-a-pyrene (BAP) according to ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benz-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benz-a-pyrene: 5 ppb	**EPA, ZEK 2008-01**

Amount	Elements or compound	Amount	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzene-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 28TH SEPTEMBER 2010

Dr. rer. nat. G. Prior

--- = below detection limit

[ ] The checked results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Intenze Products
215 Rt. 17 South
Rochelle Park
07662 New Jersey
USA

CTL®-No	63145+64231+334326/120
[Order date]	—
[Delivery date]	—
[Date]	28.09.2010

Certificate

[Article]	1 sample of a tattoo colour
[Article-No]	ST1120MBGLDC
[Colour]	Mario Barth Gold Label Dark Chocolate
[Test]	Sterility acc. to EU Resolution ResAP(2008)1: Part 5

Part 5 Investigation of Sterility Detection limit: < 1.0 x 10^0 CFU/g	**microbiological test:** **pseudomonads = King A, King B, Oxidase test acc. to ResAP(2008)1**
Result	
< 1.0 x 10^0 CFU/g	

BIELEFELD, 28TH SEPTEMBER 2010

Dr. rer. nat. G. Prior

[*] The detailed results are only valid for the tested sample. Without our written consent no single part of the report is allowed to be forwarded to third parties.